

Supplemental List of New Impairments in 2016\*

| Cause Group Code Impaired Use | enandoah River Basins<br>Water Name<br>Cause        | Cause<br>Category             | Estuary<br>(Sq. Miles) | Reservoir<br>(Acres) | River<br>(Miles) | Initial<br>List<br>Date | TMDL<br>Dev.<br>Priority |
|-------------------------------|---|-------------------------------|------------------------|----------------------|------------------|-------------------------|--------------------------|
| A08R-05-BEN                   | Dry Mill Branch                                     |                               | (041 1111100)          | (10.00)              | (                | Date                    |                          |
| Aquatic Life                  | Benthic-Macroinvertebrate Bioassessmen              | ts 5A                         |                        |                      | 2.97             | 2016                    | L                        |
| A09R-03-BEN                   | Horsepen Run  |                               |                        |                      |                  |                         |                          |
| Aquatic Life                  | Benthic-Macroinvertebrate Bioassessmen              | ts 5A                         |                        |                      | 8.17             | 2016                    | М                        |
| A09R-05-BEN                   | Beaverdam Run                                       |                               |                        |                      |                  |                         |                          |
| Aquatic Life                  | Benthic-Macroinvertebrate Bioassessmen              | ts 5A                         |                        |                      | 3.85             | 2016                    | L                        |
| A09R-07-BAC                   | Horsepen Run  |                               |                        |                      |                  |                         |                          |
| Recreation                    | Escherichia coli                                    | 5A                            |                        |                      | 8.17             | 2016                    | L                        |
| A15R-01-CHLR                  | Accotink Creek                                      |                               |                        |                      |                  |                         |                          |
| Aquatic Life                  | Chloride  | 5A                            |                        |                      | 5.22             | 2016                    | L                        |
| Wildlife                      | Chloride  | 5A                            |                        |                      | 5.22             | 2016                    | L                        |
| A16R-02-BAC                   | Pohick Creek  |                               |                        |                      |                  |                         |                          |
| Recreation                    | Escherichia coli                                    | 5A                            |                        |                      | 2.61             | 2016                    | М                        |
| A16R-03-BAC                   | South Run   |                               |                        |                      |                  |                         |                          |
| Recreation                    | Escherichia coli                                    | 5A                            |                        |                      | 4.16             | 2016                    | L                        |
| A16R-04-BAC                   | Middle Run  |                               |                        |                      |                  |                         |                          |
| Recreation                    | Escherichia coli                                    | 5A                            |                        |                      | 2.85             | 2016                    | L                        |
|                               |   | <b></b>                       |                        |                      |                  |                         |                          |
| A21R-02-BEN Aquatic Life      | Bull Run  Benthic-Macroinvertebrate Bioassessmen    | ts 5A                         |                        |                      | 4.66             | 2016                    | L                        |
| <u>'</u>                      |   | 13 3/1                        |                        |                      | 4.00             | 2010                    |                          |
| A22R-03-BEN                   | Cub Run   | ·- <b>- - - - - - - - - -</b> |                        |                      | 0.04             | 0040                    |                          |
| Aquatic Life                  | Benthic-Macroinvertebrate Bioassessmen              | ts 5A                         |                        |                      | 6.34             | 2016                    | М                        |
| A25R-05-BAC                   | Unnamed Tributary to Occoquan River                 |                               |                        |                      |                  |                         |                          |
| Recreation                    | Escherichia coli                                    | 5A                            |                        |                      | 1.11             | 2016                    | L                        |
| A29R-01-BEN                   | Unnamed tributary to Long Branch                    |                               |                        |                      |                  |                         |                          |
| Aquatic Life                  | Benthic-Macroinvertebrate Bioassessmen              | ts 5A                         |                        |                      | 2.30             | 2016                    | L                        |
| A32E-09-EBEN                  | Lower Machodoc Creek                                |                               |                        |                      |                  |                         |                          |
| Aquatic Life                  | Estuarine Bioassessments                            | 5A                            | 0.687                  |                      |                  | 2016                    | L                        |
| B04R-02-BAC                   | Sleepy Creek  |                               |                        |                      |                  |                         |                          |
| Recreation                    | Escherichia coli                                    | 5A                            |                        |                      | 7.72             | 2016                    | L                        |
| B05R-03-BAC                   | Isaacs Creek  |                               |                        |                      |                  |                         |                          |
| Recreation                    | Escherichia coli                                    | 5A                            |                        |                      | 2.84             | 2016                    | L                        |
| B40R-02-BAC                   | Flint Run   |                               |                        |                      |                  |                         |                          |
| Recreation                    | Escherichia coli                                    | 5A                            |                        |                      | 12.58            | 2016                    | Н                        |
|                               |   |                               |                        |                      |                  |                         | - •                      |
| B49R-01-BEN Aquatic Life      | Stony Creek  Benthic-Macroinvertebrate Bioassessmen | ts 5A                         |                        |                      | 3.43             | 2016                    | L                        |
|                               |   | .5 0/1                        |                        |                      | 0.40             | 2010                    |                          |
| B52R-01-PH                    | Cedar Creek   | <b>-</b> 4                    |                        |                      | 2 15             | 0040                    |                          |
| Aquatic Life                  | рН  | 5A                            |                        |                      | 3.45             | 2016                    | М                        |



#### Supplemental List of New Impairments in 2016\*

| Potomac and Sh<br>Cause Group Code<br>Impaired Use | enandoah River Basins<br>Water Name<br>Cause | Cause<br>Category | Estuary<br>(Sq. Miles) | Reservoir<br>(Acres) | River<br>(Miles) | Initial<br>List<br>Date | TMDL<br>Dev.<br>Priority |
|--|--|-------------------|------------------------|----------------------|------------------|-------------------------|--------------------------|
| B52R-06-BAC  | Gravel Springs                               |                   |                        |                      |                  |                         |                          |
| Recreation   | Escherichia coli                             | 5A                |                        |                      | 3.29             | 2016                    | L                        |
| B56R-02-BEN  | Stephens Run                                 |                   |                        |                      |                  |                         |                          |
| Aquatic Life                                       | Benthic-Macroinvertebrate Bioassessmer       | nts 5A            |                        |                      | 0.99             | 2016                    | L                        |

VA DEQ is transitioning from Fecal Coliform bacteria to Escherichia coli (fresh water) and Enterococci (salt water) for assessing the Recreation Use.

TMDL Development Priorities are: H (High) = formal EPA priority to be addressed with a plan by 2022; M (Medium) = DEQ priority that may be addressed with a plan by 2022; or L (Low) = not prioritized to be addressed with a plan by 2022. Within the H or M priority there may be "2yr" noted which means the priority is to be addressed within the two next years.

Multiple listings are due to the same impairments for different uses and/or different initial listing dates for adjacent waters.



Supplemental List of New Impairments in 2016\*

| James River Bas<br>Cause Group Code<br>Impaired Use | Water Name   | Cause<br>Category | Estuary<br>(Sq. Miles) | Reservoir<br>(Acres) | River<br>(Miles) | Initial<br>List<br>Date | TMDL<br>Dev.<br>Priority |
|---|--|-------------------|------------------------|----------------------|------------------|-------------------------|--------------------------|
| G01R-23-PH<br>Aquatic Life                          | XFU - Pocoshock Creek, UT pH                           | 5A                |                        |                      | 3.83             | 2016                    | L                        |
| G04L-01-BAC<br>Recreation                           | Sunken Meadow Pond<br>Escherichia coli                 | 5A                |                        | 172.85               |                  | 2016                    | L                        |
| G05R-14-BEN<br>Aquatic Life                         | Jordans Branch Benthic-Macroinvertebrate Bioassessmen  | its 5A            |                        |                      | 2.19             | 2016                    | L                        |
| G05R-15-DO<br>Aquatic Life                          | XCJ - North Run, UT<br>Oxygen, Dissolved               | 5A                |                        |                      | 0.42             | 2016                    | L                        |
| G05R-15-PH<br>Aquatic Life                          | XCJ - North Run, UT                                    | 5A                |                        |                      | 0.42             | 2016                    | L                        |
| G05R-16-BEN<br>Aquatic Life                         | Upham Brook Benthic-Macroinvertebrate Bioassessmen     | nts 5A            |                        |                      | 12.15            | 2016                    | L                        |
| G09R-08-DO<br>Aquatic Life                          | XBY - Beaverdam Creek, UT Oxygen, Dissolved            | 5A                |                        |                      | 1.08             | 2016                    | L                        |
| G10E-05-EBEN Aquatic Life                           | James River (Oligohaline) Estuarine Bioassessments     | 5A                | 1.129                  |                      |                  | 2016                    | L                        |
| G11L-06-DO<br>Aquatic Life                          | Scotts Factory Pond Oxygen, Dissolved                  | 5A                |                        | 14.83                |                  | 2016                    | L                        |
| G14L-01-PH<br>Aquatic Life                          | Lake Burnt Mills<br>pH                                 | 5A                |                        | 637.99               |                  | 2016                    | L                        |
| G15E-03-03-EBEN<br>Aquatic Life                     | Scott Creek Estuarine Bioassessments                   | 5A                | 0.194                  |                      |                  | 2016                    | L                        |
| H01R-03-BAC<br>Recreation                           | James River<br>Escherichia coli                        | 5A                |                        |                      | 5.36             | 2016                    | L                        |
| H05R-10-BAC<br>Recreation                           | Archer Creek Escherichia coli                          | 5A                |                        |                      | 7.46             | 2016                    | L                        |
| H05R-11-BAC<br>Recreation                           | Allens Creek Escherichia coli                          | 5A                |                        |                      | 7.18             | 2016                    | L                        |
| H13L-01-DO<br>Aquatic Life                          | Lake Nelson Oxygen, Dissolved                          | 5A                |                        | 40.62                |                  | 2016                    | L                        |
| H14R-01-BEN<br>Aquatic Life                         | Mallorys Creek  Benthic-Macroinvertebrate Bioassessmen | nts 5A            |                        |                      | 8.75             | 2016                    | L                        |
| H16R-05-BAC<br>Recreation                           | Rockfish River UT Escherichia coli                     | 5A                |                        |                      | 2.69             | 2016                    | L                        |
| <b>H21R-02-BEN</b><br>Aquatic Life                  | Walton Fork Benthic-Macroinvertebrate Bioassessmen     | nts 5A            |                        |                      | 2.99             | 2016                    | L                        |



Supplemental List of New Impairments in 2016\*

| James River Bas<br>Cause Group Code<br>Impaired Use | Water Name   | Cause<br>Category | Estuary<br>(Sq. Miles) | Reservoir<br>(Acres) | River<br>(Miles) | Initial<br>List<br>Date | TMDL<br>Dev.<br>Priority |
|---|--|-------------------|------------------------|----------------------|------------------|-------------------------|--------------------------|
| H23L-01-CHLA<br>Aquatic Life                        | Lake Albemarle<br>Chlorophyll-a                                  | 5A                |                        | 37.01                |                  | 2016                    | L                        |
| <b>H23L-01-DO</b><br>Aquatic Life                   | Lake Albemarle<br>Oxygen, Dissolved                              | 5A                |                        | 37.01                |                  | 2016                    | L                        |
| <b>H26R-09-BEN</b><br>Aquatic Life                  | Little Ivy Creek X-trib  Benthic-Macroinvertebrate Bioassessmen  | nts 5A            |                        |                      | 4.44             | 2016                    | L                        |
| <b>H27R-08-BEN</b><br>Aquatic Life                  | Preddy Creek Benthic-Macroinvertebrate Bioassessmen              | nts 5A            |                        |                      | 7.48             | 2016                    | L                        |
| <b>H27R-09-BEN</b><br>Aquatic Life                  | North Fork Rivanna River  Benthic-Macroinvertebrate Bioassessmen | nts 5A            |                        |                      | 7.33             | 2016                    | L                        |
| <b>H27R-10-BEN</b><br>Aquatic Life                  | Quarter Creek  Benthic-Macroinvertebrate Bioassessmen            | nts 5A            |                        |                      | 1.58             | 2016                    | L                        |
| H31R-05-BAC<br>Recreation                           | Rivanna River<br>Escherichia coli                                | 5A                |                        |                      | 8.38             | 2016                    | L                        |
| <b>H34R-04-BEN</b><br>Aquatic Life                  | Phils Creek Benthic-Macroinvertebrate Bioassessmen               | nts 5A            |                        |                      | 6.69             | 2016                    | L                        |
| <b>H36R-03-BEN</b><br>Aquatic Life                  | Buffalo Creek Benthic-Macroinvertebrate Bioassessmen             | nts 5A            |                        |                      | 7.10             | 2016                    | L                        |
| <b>H36R-06-BEN</b><br>Aquatic Life                  | Bigger Creek  Benthic-Macroinvertebrate Bioassessmen             | nts 5A            |                        |                      | 4.43             | 2016                    | L                        |
| <b>H39R-27-BEN</b><br>Aquatic Life                  | Deep Run  Benthic-Macroinvertebrate Bioassessmen                 | nts 5A            |                        |                      | 4.16             | 2016                    | L                        |
| H39R-28-BEN<br>Aquatic Life                         | Stony Run  Benthic-Macroinvertebrate Bioassessmen                | nts 5A            |                        |                      | 1.35             | 2016                    | L                        |
| <b>H39R-29-DO</b><br>Aquatic Life                   | XBH - Reedy Creek, UT<br>Oxygen, Dissolved                       | 5A                |                        |                      | 0.11             | 2016                    | L                        |
| I12R-01-BAC<br>Recreation                           | Cowpasture River<br>Escherichia coli                             | 5A                |                        |                      | 8.30             | 2016                    | L                        |
| I22R-05-BAC<br>Recreation                           | Craig Creek Escherichia coli Escherichia coli                    | 5A<br>5A          |                        |                      | 10.70<br>16.86   | 2016<br>2016            | L<br>L                   |
| I27R-01-BAC<br>Recreation                           | James River<br>Escherichia coli                                  | 5A                |                        |                      | 9.52             | 2016                    | L                        |
| I29R-01-TEMP Aquatic Life                           | Ramseys Draft Temperature, water                                 | 5A                |                        |                      | 10.29            | 2016                    | L                        |
| I30R-03-BAC<br>Recreation                           | Hamilton Branch Escherichia coli                                 | 5A                |                        |                      | 6.28             | 2016                    | L                        |



#### Supplemental List of New Impairments in 2016\*

| James River Bas<br>Cause Group Code<br>Impaired Use | in<br>Water Name<br>Cause                            | Cause<br>Category | Estuary<br>(Sq. Miles) | Reservoir<br>(Acres) | River<br>(Miles) | Initial<br>List<br>Date | TMDL<br>Dev.<br>Priority |
|---|--|-------------------|------------------------|----------------------|------------------|-------------------------|--------------------------|
| I35R-02-BEN<br>Aquatic Life                         | Mill Creek  Benthic-Macroinvertebrate Bioassessr     | nents 5A          |                        |                      | 9.13             | 2016                    | L                        |
| J01R-02-BEN<br>Aquatic Life                         | Horsepen Creek  Benthic-Macroinvertebrate Bioassessr | nents 5A          |                        |                      | 4.00             | 2016                    | L                        |

VA DEQ is transitioning from Fecal Coliform bacteria to Escherichia coli (fresh water) and Enterococci (salt water) for assessing the Recreation Use.

TMDL Development Priorities are: H (High) = formal EPA priority to be addressed with a plan by 2022; M (Medium) = DEQ priority that may be addressed with a plan by 2022; or L (Low) = not prioritized to be addressed with a plan by 2022. Within the H or M priority there may be "2yr" noted which means the priority is to be addressed within the two next years.

Multiple listings are due to the same impairments for different uses and/or different initial listing dates for adjacent waters.

#### Rappahannock River Basin

| Cause Group Code Impaired Use | Water Name<br>Cause                    | Cause<br>Category | Estuary<br>(Sq. Miles) | Reservoir<br>(Acres) | River<br>(Miles) | Initial<br>List<br>Date | TMDL<br>Dev.<br>Priority |
|-------------------------------|--|-------------------|------------------------|----------------------|------------------|-------------------------|--------------------------|
| E04R-01-TEMP                  | Hazel River                            |                   |                        |                      |                  |                         |                          |
| Aquatic Life                  | Temperature, water                     | 5A                |                        |                      | 3.63             | 2016                    | L                        |
| E09R-02-PCB                   | Mountain Run                           |                   |                        |                      |                  |                         |                          |
| Fish Consumption              | PCB in Fish Tissue                     | 5A                |                        |                      | 4.63             | 2016                    | L                        |
| E10R-04-BAC                   | Sumerduck Run                          |                   |                        |                      |                  |                         |                          |
| Recreation                    | Escherichia coli                       | 5A                |                        |                      | 1.85             | 2016                    | L                        |
| E20R-03-BEN                   | Little Falls Run                       |                   |                        |                      |                  |                         |                          |
| Aquatic Life                  | Benthic-Macroinvertebrate Bioassessmer | nts 5A            |                        |                      | 4.92             | 2016                    | L                        |
| E20R-05-PH                    | Unnamed tributary to Massaponax Creek  |                   |                        |                      |                  |                         |                          |
| Aquatic Life                  | рН                                     | 5A                |                        |                      | 1.27             | 2016                    | L                        |

VA DEQ is transitioning from Fecal Coliform bacteria to Escherichia coli (fresh water) and Enterococci (salt water) for assessing the Recreation Use.

TMDL Development Priorities are: H (High) = formal EPA priority to be addressed with a plan by 2022; M (Medium) = DEQ priority that may be addressed with a plan by 2022; or L (Low) = not prioritized to be addressed with a plan by 2022. Within the H or M priority there may be "2yr" noted which means the priority is to be addressed within the two next years.

Multiple listings are due to the same impairments for different uses and/or different initial listing dates for adjacent waters.



## Supplemental List of New Impairments in 2016\*

| Roanoke and Yac<br>Cause Group Code<br>Impaired Use | dkin River Basins Water Name Cause                                    | Cause<br>Category | Estuary<br>(Sq. Miles) | Reservoir<br>(Acres) | River<br>(Miles) | Initial<br>List<br>Date | TMDL<br>Dev.<br>Priority |
|---|---|-------------------|------------------------|----------------------|------------------|-------------------------|--------------------------|
| L09R-02-BEN<br>Aquatic Life                         | Maggodee Creek  Benthic-Macroinvertebrate Bioassessmen                | its 5A            |                        |                      | 5.42             | 2016                    | L                        |
| L14R-02-BEN<br>Aquatic Life                         | Storey Creek Benthic-Macroinvertebrate Bioassessmen                   | its 5A            |                        |                      | 9.82             | 2016                    | L                        |
| <b>L38L-01-DO</b> Aquatic Life                      | Conner Lake Oxygen, Dissolved   | 5A                |                        | 101.92               |                  | 2016                    | L                        |
| <b>L40R-01-BEN</b><br>Aquatic Life                  | Berles Creek  Benthic-Macroinvertebrate Bioassessmen                  | its 5A            |                        |                      | 2.28             | 2016                    | L                        |
| <b>L53R-01-TEMP</b> Aquatic Life                    | Smith River Temperature, water  | 5A                |                        |                      | 6.50             | 2016                    | L                        |
| <b>L53R-05-BEN</b> Aquatic Life                     | Beaver Creek  Benthic-Macroinvertebrate Bioassessmen                  | its 5A            |                        |                      | 5.30             | 2016                    | L                        |
| L53R-06-BEN Aquatic Life                            | Daniels Creek  Benthic-Macroinvertebrate Bioassessmen                 | its 5A            |                        |                      | 3.99             | 2016                    | L                        |
| L53R-07-BEN<br>Aquatic Life                         | Jones Creek  Benthic-Macroinvertebrate Bioassessmen                   | its 5A            |                        |                      | 2.36             | 2016                    | L                        |
| <b>L62R-10-BEN</b><br>Aquatic Life                  | Sandy Creek, Unnamed Tributary Benthic-Macroinvertebrate Bioassessmen | its 5A            |                        |                      | 2.29             | 2016                    | L                        |
| <b>L63R-01-BEN</b><br>Aquatic Life                  | Birch Creek  Benthic-Macroinvertebrate Bioassessmen                   | its 5A            |                        |                      | 20.15            | 2016                    | L                        |
| <b>L66L-02-PH</b><br>Aquatic Life                   | Roaring Fork Reservoir pH   | 5A                |                        | 19.58                |                  | 2016                    | L                        |
| <b>L67R-04-BEN</b><br>Aquatic Life                  | Bradley Creek  Benthic-Macroinvertebrate Bioassessmen                 | its 5A            |                        |                      | 6.46             | 2016                    | L                        |
| <b>L68R-01-BEN</b><br>Aquatic Life                  | Whitehorn Creek  Benthic-Macroinvertebrate Bioassessmen               | its 5A            |                        |                      | 15.10            | 2016                    | L                        |
| L70R-03-BEN<br>Aquatic Life                         | Bar Branch Benthic-Macroinvertebrate Bioassessmen                     | its 5A            |                        |                      | 4.03             | 2016                    | L                        |
| <b>L71R-05-BEN</b> Aquatic Life                     | Polecat Creek  Benthic-Macroinvertebrate Bioassessmen                 | its 5A            |                        |                      | 9.70             | 2016                    | L                        |
| <b>L73R-03-DO</b> Aquatic Life                      | Peter Creek<br>Oxygen, Dissolved                                      | 5A                |                        |                      | 6.61             | 2016                    | L                        |
| L75R-03-BEN Aquatic Life                            | Beech Creek  Benthic-Macroinvertebrate Bioassessmen                   | its 5A            |                        |                      | 4.69             | 2016                    | L                        |
| <b>L78R-03-BEN</b> Aquatic Life                     | Allen Creek  Benthic-Macroinvertebrate Bioassessmen                   | its 5A            |                        |                      | 15.27            | 2016                    | L                        |



### Supplemental List of New Impairments in 2016\*

| Roanoke and Yac<br>Cause Group Code<br>Impaired Use | dkin River Basins Water Name Cause | Cause<br>Category | Estuary<br>(Sq. Miles) | Reservoir<br>(Acres) | River<br>(Miles) | Initial<br>List<br>Date | TMDL<br>Dev.<br>Priority |
|---|------------------------------------|-------------------|------------------------|----------------------|------------------|-------------------------|--------------------------|
| L79L-02-CHLA  | Lake Gordon                        |                   |                        |                      |                  |                         |                          |
| Aquatic Life  | Chlorophyll-a                      | 5A                |                        | 107.48               |                  | 2016                    | L                        |
| L79R-03-BAC   | Miles Creek                        |                   |                        |                      |                  |                         |                          |
| Recreation  | Escherichia coli                   | 5A                |                        |                      | 5.97             | 2016                    | L                        |
| L81R-03-BAC   | Little Poplar Creek                |                   |                        |                      |                  |                         |                          |
| Recreation  | Escherichia coli                   | 5A                |                        |                      | 6.51             | 2016                    | L                        |
| L82R-01-BAC   | Pea Hill Creek                     |                   |                        |                      |                  |                         |                          |
| Recreation  | Escherichia coli                   | 5A                |                        |                      | 4.86             | 2016                    | L                        |
| M02R-01-TEMP  | Lovills Creek and Stewarts Creek   |                   |                        |                      |                  |                         |                          |
| Aquatic Life  | Temperature, water                 | 5A                |                        |                      | 2.05             | 2016                    | M                        |

VA DEQ is transitioning from Fecal Coliform bacteria to Escherichia coli (fresh water) and Enterococci (salt water) for assessing the Recreation Use.

TMDL Development Priorities are: H (High) = formal EPA priority to be addressed with a plan by 2022; M (Medium) = DEQ priority that may be addressed with a plan by 2022; or L (Low) = not prioritized to be addressed with a plan by 2022. Within the H or M priority there may be "2yr" noted which means the priority is to be addressed within the two next years.

Multiple listings are due to the same impairments for different uses and/or different initial listing dates for adjacent waters.



Supplemental List of New Impairments in 2016\*

| Chowan River ar<br>Cause Group Code<br>Impaired Use | nd Dismal Swamp Basins Water Name Cause      | Cause Estuary<br>Category (Sq. Miles |        | River<br>Miles) | Initial<br>List<br>Date | TMDL<br>Dev.<br>Priority |
|---|--|--------------------------------------|--------|-----------------|-------------------------|--------------------------|
| K08L-02-CHLA<br>Aquatic Life                        | Brunswick Lake<br>Chlorophyll-a              | 5A                                   | 160.33 |                 | 2016                    | L                        |
| K08R-04-BAC<br>Recreation                           | UT to Dukes Branch<br>Escherichia coli       | 5A                                   |        | 1.71            | 2016                    | L                        |
| K08R-05-BAC<br>Recreation                           | Dukes Branch<br>Escherichia coli             | 5A                                   |        | 2.41            | 2016                    | L                        |
| K09R-01-BAC<br>Recreation                           | Meherrin River<br>Escherichia coli           | 5A                                   |        | 26.75           | 2016                    | L                        |
| K13R-04-BAC<br>Recreation                           | Flat Swamp<br>Escherichia coli               | 5A                                   |        | 8.48            | 2016                    | L                        |
| K16R-06-BAC<br>Recreation                           | Tommeheton Creek Escherichia coli            | 5A                                   |        | 7.84            | 2016                    | L                        |
| K17R-03-BAC<br>Recreation                           | Waqua Creek<br>Escherichia coli              | 5A                                   |        | 5.59            | 2016                    | L                        |
| K17R-04-BAC<br>Recreation                           | Great Creek<br>Escherichia coli              | 5A                                   |        | 5.45            | 2016                    | L                        |
| K17R-05-BAC<br>Recreation                           | Reedy Creek<br>Escherichia coli              | 5A                                   |        | 6.02            | 2016                    | L                        |
| K17R-06-BAC<br>Recreation                           | Turkey Egg Creek<br>Escherichia coli         | 5A                                   |        | 5.64            | 2016                    | L                        |
| K17R-07-BAC<br>Recreation                           | Waqua Creek<br>Escherichia coli              | 5A                                   |        | 1.09            | 2016                    | L                        |
| K19R-11-BAC<br>Recreation                           | Moores Swamp<br>Escherichia coli             | 5A                                   |        | 5.08            | 2016                    | L                        |
| K21R-06-BAC<br>Recreation                           | Stony Creek<br>Escherichia coli              | 5A                                   |        | 2.60            | 2016                    | L                        |
| K22R-04-BAC<br>Recreation                           | Sappony Creek<br>Escherichia coli            | 5A                                   |        | 4.35            | 2016                    | L                        |
| K24R-04-BAC<br>Recreation                           | Nottoway River<br>Escherichia coli           | 5A                                   |        | 15.61           | 2016                    | L                        |
| K24R-05-BAC<br>Recreation                           | Thweatt Branch Tributaries Escherichia coli  | 5A                                   |        | 7.26            | 2016                    | L                        |
| K36R-07-BAC<br>Recreation                           | Blackwater River - Upper<br>Escherichia coli | 5A                                   |        | 2.47            | 2016                    | L                        |
|   |  |                                      |        |                 |                         |                          |



#### Supplemental List of New Impairments in 2016\*

| Chowan River ar<br>Cause Group Code<br>Impaired Use | nd Dismal Swamp Basins  Water Name  Cause      | Cause<br>Category | Estuary<br>(Sg. Miles) | Reservoir<br>(Acres) | River<br>(Miles) | Initial<br>List<br>Date | TMDL<br>Dev.<br>Priority |
|---|--|-------------------|------------------------|----------------------|------------------|-------------------------|--------------------------|
| K40R-04-BAC<br>Recreation                           | Northwest River - Lower (PWS) Escherichia coli | 5A                | (Oq. IVIIICS)          | (710103)             | 1.70             | 2016                    | L                        |

VA DEQ is transitioning from Fecal Coliform bacteria to Escherichia coli (fresh water) and Enterococci (salt water) for assessing the Recreation Use.

TMDL Development Priorities are: H (High) = formal EPA priority to be addressed with a plan by 2022; M (Medium) = DEQ priority that may be addressed with a plan by 2022; or L (Low) = not prioritized to be addressed with a plan by 2022. Within the H or M priority there may be "2yr" noted which means the priority is to be addressed within the two next years.

Multiple listings are due to the same impairments for different uses and/or different initial listing dates for adjacent waters.

| Tennessee and E<br>Cause Group Code<br>Impaired Use | Big Sandy River Basins  Water Name  Cause | Cause<br>Category | Estuary<br>(Sq. Miles) | Reservoir<br>(Acres) | River<br>(Miles) | Initial<br>List<br>Date | TMDL<br>Dev.<br>Priority |
|---|---|-------------------|------------------------|----------------------|------------------|-------------------------|--------------------------|
| O01R-01-BAC   | South Fork Holston River and Tributaries  |                   |                        |                      |                  |                         |                          |
| Recreation  | Escherichia coli                          | 5A                |                        |                      | 3.68             | 2016                    | Н                        |
| P06R-01-BEN   | Big Cedar Creek                           |                   |                        |                      |                  |                         |                          |
| Aquatic Life  | Benthic-Macroinvertebrate Bioassessmen    | nts 5A            |                        |                      | 4.20             | 2016                    | L                        |
| P17R-04-BEN   | Unnamed tributary to Callahan Creek       |                   |                        |                      |                  |                         |                          |
| Aquatic Life  | Benthic-Macroinvertebrate Bioassessmen    | nts 5A            |                        |                      | 0.58             | 2016                    | L                        |
| P18R-01-PH  | South Fork Powell River                   |                   |                        |                      |                  |                         |                          |
| Aquatic Life  | рН  | 5A                |                        |                      | 3.83             | 2016                    | L                        |
| P20R-01-TEMP  | North Fork Powell River                   |                   |                        |                      |                  |                         |                          |
| Aquatic Life  | Temperature, water                        | 5A                |                        |                      | 7.67             | 2016                    | М                        |
| Q09R-01-BAC   | Russell Fork                              |                   |                        |                      |                  |                         |                          |
| Recreation  | Escherichia coli                          | 5A                |                        |                      | 4.12             | 2016                    | H, 2yr                   |
| Q13R-10-BAC   | South Fork Pound River                    |                   |                        |                      |                  |                         |                          |
| Recreation  | Escherichia coli                          | 5A                |                        |                      | 3.44             | 2016                    | L                        |

VA DEQ is transitioning from Fecal Coliform bacteria to Escherichia coli (fresh water) and Enterococci (salt water) for assessing the Recreation Use.

TMDL Development Priorities are: H (High) = formal EPA priority to be addressed with a plan by 2022; M (Medium) = DEQ priority that may be addressed with a plan by 2022; or L (Low) = not prioritized to be addressed with a plan by 2022. Within the H or M priority there may be "2yr" noted which means the priority is to be addressed within the two next years.

Multiple listings are due to the same impairments for different uses and/or different initial listing dates for adjacent waters.



### Supplemental List of New Impairments in 2016\*

| Chesapeake Bay<br>Cause Group Code<br>Impaired Use | Atlantic/Small Coastal Basins Water Name Cause | Cause<br>Category | Estuary<br>(Sq. Miles) | Reservoir<br>(Acres) | River<br>(Miles) | Initial<br>List<br>Date | TMDL<br>Dev.<br>Priority |
|--|--|-------------------|------------------------|----------------------|------------------|-------------------------|--------------------------|
| AO23-01-BAC  | Atlantic Ocean Beaches - Croatan               |                   |                        |                      |                  |                         |                          |
| Recreation   | Enterococcus                                   | 5A                | 0.410                  |                      |                  | 2016                    | L                        |
| C03E-17-BAC  | Piankatank River                               |                   |                        |                      |                  |                         |                          |
| Recreation   | Escherichia coli                               | 5A                | 1.167                  |                      |                  | 2016                    | L                        |
| C07E-43-BAC  | Buckroe Beaches                                |                   |                        |                      |                  |                         |                          |
| Recreation   | Enterococcus                                   | 5A                | 0.224                  |                      |                  | 2016                    | L                        |
| C08E-15-BAC  | 13th View Beach                                |                   |                        |                      |                  |                         |                          |
| Recreation   | Enterococcus                                   | 5A                | 0.353                  |                      |                  | 2016                    | L                        |
| C08E-16-BAC  | Chicks Beach                                   |                   |                        |                      |                  |                         |                          |
| Recreation   | Enterococcus                                   | 5A                | 0.433                  |                      |                  | 2016                    | L                        |
| D03R-06-BEN  | North Fork                                     |                   |                        |                      |                  |                         |                          |
| Aquatic Life                                       | Benthic-Macroinvertebrate Bioassessme          | ents 5A           |                        |                      | 3.13             | 2016                    | L                        |
| D03R-07-BEN  | Custis Creek                                   |                   |                        |                      |                  |                         |                          |
| Aquatic Life                                       | Benthic-Macroinvertebrate Bioassessme          | ents 5A           |                        |                      | 1.22             | 2016                    | L                        |

VA DEQ is transitioning from Fecal Coliform bacteria to Escherichia coli (fresh water) and Enterococci (salt water) for assessing the Recreation Use.

TMDL Development Priorities are: H (High) = formal EPA priority to be addressed with a plan by 2022; M (Medium) = DEQ priority that may be addressed with a plan by 2022; or L (Low) = not prioritized to be addressed with a plan by 2022. Within the H or M priority there may be "2yr" noted which means the priority is to be addressed within the two next years.

Multiple listings are due to the same impairments for different uses and/or different initial listing dates for adjacent waters.



## Supplemental List of New Impairments in 2016\*

| York River Basin<br>Cause Group Code<br>Impaired Use   | Water Name  | Cause<br>Category | Estuary<br>(Sq. Miles) | Reservoir<br>(Acres) | River<br>(Miles) | Initial<br>List<br>Date      | TMDL<br>Dev.<br>Priority |
|--|---|-------------------|------------------------|----------------------|------------------|------------------------------|--------------------------|
| F03R-02-BEN  | Taylors Creek   |                   |                        |                      |                  |                              |                          |
| Aquatic Life   | Benthic-Macroinvertebrate Bioassessmen  | its 5A            |                        |                      | 16.54            | 2016                         | L                        |
| F06R-08-BAC  | Duckinghoe Creek  |                   |                        |                      |                  |                              |                          |
| Recreation   | Escherichia coli  | 5A                |                        |                      | 6.98             | 2016                         | L                        |
| F06R-09-BAC  | South Fork Hickory Creek  |                   |                        |                      |                  |                              |                          |
| Recreation   | Escherichia coli  | 5A                |                        |                      | 4.63             | 2016                         | L                        |
| F08R-01-TEMP   | Contrary Creek  |                   |                        |                      |                  |                              |                          |
| Aquatic Life   | Temperature, water  | 5A                |                        |                      | 5.52             | 2016                         | L                        |
| F15R-02-PH   | Unnamed tributary to Cool Spring Lake   |                   |                        |                      |                  |                              |                          |
| Aquatic Life   | рН  | 5A                |                        |                      | 1.29             | 2016                         | L                        |
| F21R-05-BAC  | Herring Creek   |                   |                        |                      |                  |                              |                          |
| Recreation   | Escherichia coli  | 5A                |                        |                      | 5.09             | 2016                         | L                        |
| F21R-06-BAC  | Mattaponi River   |                   |                        |                      |                  |                              |                          |
| Recreation   | Escherichia coli  | 5A                |                        |                      | 8.00             | 2016                         | L                        |
| F23E-02-BAC  | Mattaponi River   |                   |                        |                      |                  |                              |                          |
| Recreation   | Escherichia coli  | 5A                | 1.756                  |                      |                  | 2016                         | L                        |
| F23R-12-BAC  | XDN - Garnetts Creek, UT  |                   |                        |                      |                  |                              |                          |
| Recreation   | Escherichia coli  | 5A                |                        |                      | 2.53             | 2016                         | L                        |
| F24R-03-BAC  | Courthouse Creek  |                   |                        |                      |                  |                              |                          |
| Recreation   | Escherichia coli  | 5A                |                        |                      | 0.72             | 2016                         | L                        |
| F27E-06-BAC  | York River - Yorktown Beach   |                   |                        |                      |                  |                              |                          |
| Recreation   | Enterococcus  | 5A                | 0.024                  |                      |                  | 2016                         | L                        |
| F27E-07-BAC  | York River - Gloucester Point Beach   |                   |                        |                      |                  |                              |                          |
| Recreation   | Enterococcus  | 5A                | 0.018                  |                      |                  | 2016                         | L                        |
| Recreation F23E-02-BAC Recreation F23R-12-BAC Recreation F24R-03-BAC Recreation F27E-06-BAC Recreation F27E-07-BAC | Escherichia coli  Mattaponi River Escherichia coli  XDN - Garnetts Creek, UT Escherichia coli  Courthouse Creek Escherichia coli  York River - Yorktown Beach Enterococcus  York River - Gloucester Point Beach | 5A<br>5A<br>5A    | 0.024                  |                      | 2.53             | 2016<br>2016<br>2016<br>2016 | L<br>L                   |

VA DEQ is transitioning from Fecal Coliform bacteria to Escherichia coli (fresh water) and Enterococci (salt water) for assessing the Recreation Use.

TMDL Development Priorities are: H (High) = formal EPA priority to be addressed with a plan by 2022; M (Medium) = DEQ priority that may be addressed with a plan by 2022; or L (Low) = not prioritized to be addressed with a plan by 2022. Within the H or M priority there may be "2yr" noted which means the priority is to be addressed within the two next years.

Multiple listings are due to the same impairments for different uses and/or different initial listing dates for adjacent waters.



### Supplemental List of New Impairments in 2016\*

| New River Basin<br>Cause Group Code<br>Impaired Use | Water Name<br>Cause  | Cause<br>Category | Estuary<br>(Sq. Miles) | Reservoir<br>(Acres) | River<br>(Miles) | Initial<br>List<br>Date | TMDL<br>Dev.<br>Priority |  |
|---|--|-------------------|------------------------|----------------------|------------------|-------------------------|--------------------------|--|
| N04R-03-BAC   | Peach Bottom Creek   |                   |                        |                      |                  |                         |                          |  |
| Recreation  | Escherichia coli   | 5A                |                        |                      | 5.34             | 2016                    | M                        |  |
| N08R-01-BAC   | New River  |                   |                        |                      |                  |                         |                          |  |
| Recreation  | Escherichia coli   | 5A                |                        |                      | 13.08            | 2016                    | M                        |  |
| N09R-03-BEN   | Dean Branch  |                   |                        |                      |                  |                         |                          |  |
| Aquatic Life  | Benthic-Macroinvertebrate Bioassessmen                       | its 5A            |                        |                      | 1.92             | 2016                    | L                        |  |
| N22R-05-BAC   | New River  |                   |                        |                      |                  |                         |                          |  |
| Recreation  | Escherichia coli   | 5A                |                        |                      | 9.78             | 2016                    | L                        |  |
| N26R-01-BAC   | East Wilderness Creek, Nobusiness Creek and Kimberling Creek |                   |                        |                      |                  |                         |                          |  |
| Recreation  | Escherichia coli   | 5A                |                        |                      | 2.53             | 2016                    | Н                        |  |
| N29R-01-PCB   | New River, Reed Creek, Claytor Lake, Peak (XAG.              | Creek, Stor       | ny Creek, Wa           | lker Creek, A        | nd Unknov        | wn Tribu                | tary                     |  |
| Fish Consumption                                    | PCB in Water Column  | 5A                |                        |                      | 3.49             | 2016                    | Н                        |  |
|   | PCB in Fish Tissue   | 5A                |                        |                      | 5.85             | 2016                    | Н                        |  |
|   | PCB in Water Column  | 5A                |                        |                      | 3.20             | 2016                    | Н                        |  |

VA DEQ is transitioning from Fecal Coliform bacteria to Escherichia coli (fresh water) and Enterococci (salt water) for assessing the Recreation Use.

TMDL Development Priorities are: H (High) = formal EPA priority to be addressed with a plan by 2022; M (Medium) = DEQ priority that may be addressed with a plan by 2022; or L (Low) = not prioritized to be addressed with a plan by 2022. Within the H or M priority there may be "2yr" noted which means the priority is to be addressed within the two next years.

Multiple listings are due to the same impairments for different uses and/or different initial listing dates for adjacent waters.